



CC6000 Technical Accessory Guide



NOTE: This document is only for general reference. Solutions Pathway and related PMBs should be used for product availability, pricing, and final solution selection.

This document and the information contained therein (Information) are Zebra- confidential, and are provided under, and subject to, the confidentiality provision of your PartnerConnect agreement with Zebra. Any public disclosure (via posting on your website or otherwise) of the Information is strictly prohibited and will be considered a violation of your PartnerConnect agreement with Zebra.






* Zebra does not endorse or specifically recommend any **third-party products, accessories, or hardware**. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.

Communication Cables



| Part Number | Picture | Description | Notes | Required Items |
|--|---------|----------------------------|---|----------------|
| CBL-TC2X-USBC-01 or CBL-TC5X-USBC2A-01 | | USB-C Cable | <ul style="list-style-type: none"> ► Used to communicate with CC6000 via the USB OTG port. ► CBL-TC2X-USBC-01 to be discontinued 10/2021, see PMB 10621 | |
| (3rd party) * | | USB-C to DisplayPort Cable | <ul style="list-style-type: none"> ► Used to connect CC6000 to external monitors. | |

Mounting Options

| Part Number | Picture | Description | Notes | Required Items |
|--------------|---------|---|--|----------------|
| KT-152098-03 | | Wall Mounting Kit with Power Supply Storage | <ul style="list-style-type: none"> ► 100mm VESA ► Includes additional storage shelf to hold power supply ► Kit includes hardware to attach CC6000 to bracket and security screw to secure it to the bracket. ► Modified over KT-152097-03 to hold the smaller power supply used by the CC6000 vs. the CC5000. Bracket is slightly thinner than KT-152097-03. | |

| | | | | |
|--------------|---|---|--|--|
| KT-152097-03 |  | Wall Mounting Kit with Power Supply Storage | <ul style="list-style-type: none"> ▶ 100mm VESA ▶ Includes additional storage shelf to hold power supply ▶ Modified over KT-152097-02 to better hold Level VI power supply. | |
| KT-152097-02 |  | Wall Mounting Kit with Power Supply Storage | <ul style="list-style-type: none"> ▶ 100mm VESA ▶ Includes additional storage shelf to hold power supply ▶ Discontinued 11/2017, now use KT-152097-03 - PMB 3050 | |
| KT-152097-01 |  | Wall Mounting Kit | <ul style="list-style-type: none"> ▶ 100mm VESA | |
| KT-152096-03 |  | Pole Mounting Kit | <ul style="list-style-type: none"> ▶ 100mm VESA ▶ Includes additional storage shelf to hold power supply ▶ Modified over KT-152096-02 to better hold Level VI power supply. | |
| KT-152096-02 |  | Pole Mounting Kit | <ul style="list-style-type: none"> ▶ 100mm VESA ▶ Includes additional storage shelf to hold power supply ▶ Discontinued 11/2017, now use KT-152096-03 - PMB 3050 | |

| KT-152096-01 |  | Pole Mounting Kit | ► 100mm VESA | |
|--|---|---|--|---|
| Power Cords/ Power Supplies - Note: There are two ways to power the CC6000, either Direct Connect or via 802.3at POE (Power over Ethernet) | | | | |
| Part Number | Picture | Description | Notes | Required Items |
| CBL-DC-383A1-01 |  | DC Line Cord | ► Used with Power Supply (PWR-BUA5V16W0WW) ► Cable length is 6 ft. | |
| PWR-BUA5V16W0WW |  | Power Supply | ► 100-240VAC, 5.4V, 3A, 16W ► Meets US DOE Level VI efficiency standard ► Replaces PWRS-14000-249R | DC Line Cord (CBL-DC-383A1-01) and AC Line Cord (50-16000-182R) |
| PWRS-14000-249R |  | Power Supply with integrated DC Cord | ► Discontinued 10/2016 in NALA and 1/2017 in EMEA/APAC - replaced by PWR-BUA5V16W0WW and CBL-DC-383A1-01 - PMB 2887. ► Replaces 50-14000-249R ► 100-240VAC, 5.4 VDC, 3A ► Energy Star Compliant | 50-16000-182R |
| 50-14000-147R |  | Power Supply with integrated DC Cord | ► Discontinued 12/2007 - replaced by 50-14000-249R | 50-16000-182R |
| 50-14000-249R |  | Power Supply with integrated DC Cord | ► Replaces 50-14000-147R | 50-16000-182R |
| POE29U-1AT(PL)D-R |  | Single-port High Power Gigabit 802.3at Power Injector | ► Discontinued 4/2020 ► Used to power CC6000 via PoE ► 30W Single Port Power over Ethernet Midspan IEEE 802.3at Compliant Power Injector. | AC Line Cord (23844-00-00R) |

| | | | | |
|-------------------|---|------------------------|--|---------------------------|
| AP-PSBIAS-2P3-ATR |  | 802.3at Power Injector | <p>► Can be used when Power over Ethernet is required, but switch does not provide 802.3at POE.</p> <p>► Discontinued 10/2016 due to sale of Zebra's WLAN business to Extreme Networks. Now source third party POE injector.</p> | 23844-00-00R AC Line Cord |
| 50-16000-182R |  | AC Line Cord | <p>► Used with 50-14000-147R/50-14000-249R/PWRS-14000-249R/PWR-BUA5V16W0WW.</p> <p>► This AC Line Cord is for use in North America. See the AC Line Cords by Country TAG for comparable line cords to use in other countries.</p> | |